

## DISCLAIMER

The information presented today is based on CDC's recent guidance and MAY change.

December 29, 2020

# Welcome

December 29, 2020

Imelda Garcia, MPH

**Associate Commissioner | Laboratory & Infectious Disease Services Division** 

## **Discussion Topics**

- Population
- Diverse Provider Settings
- Long-term Care
- Local Partnership and Communications
- Second Dose Allocation
- News from the Field
- Manufacturer Education Series
- Resources



# Phases and Timeframe of COVID-19 Vaccine Distribution

Draft - for planning purposes only and subject to change

## Administration of COVID-19 vaccine will require a phased approach

Continued Vaccination, **Large Number of Doses Available Limited Doses Available** Shift to Routine Strategy Max -Projected short period of time for when does are limited Volume doses available (per month) Trials only Constrained supply Likely sufficient supply to meet demand Likely excess supply Highly targeted administration required to Supply increases access Broad admin, network for increased access Key achieve coverage in priority populations · Broad administration network required factors including surge capacity Tightly focus administration Expand beyond initial populations Open vaccination Likely · Administer vx in closed settings (places of work, Administer through private partner sites Administer through commercial sector partner admin other vx sites) specific to priority populations sites (pharmacies, doctors offices, clinics) Maintain PH sites where required Administer through public health sites (mobile strategies clinics, FQHCs, target communities) 8/26/20

# **COVID-19 Critical Population**Phase 1A Healthcare Workers Definition – First Tier

- Paid and unpaid workers in hospital settings working directly with patients who are positive or at high risk for COVID-19. Such as but not limited to:
  - Physicians, nurses, respiratory therapists and other support staff (custodial staff, etc.)
  - Additional clinical staff providing supporting laboratory, pharmacy, diagnostic and/or rehabilitation services
  - Others having direct contact with patients or infectious materials
- Long-term care staff working directly with vulnerable residents. Includes:
  - Direct care providers at nursing homes, assisted living facilities, and state supported living centers
  - Physicians, nurses, personal care assistants, custodial, food service staff
- EMS providers who engage in 9-1-1 emergency services like pre-hospital care and transport
- Home health care workers, including hospice care, who directly interface with vulnerable and high-risk patients
- Residents of long-term care facilities



# **COVID-19 Critical Population**Phase 1A Healthcare Workers Definition – Second Tier

- Staff in outpatient care settings who interact with symptomatic patients. Such as but not limited to:
  - Physicians, nurses, respiratory therapists and other support staff (custodial staff, etc.).
  - Clinical staff providing diagnostic, laboratory, and/or rehabilitation services
  - Non 9-1-1 transportation for routine care
  - Healthcare workers in corrections and detention facilities
- Direct care staff in freestanding emergency medical care facilities and urgent care clinics.
- Community pharmacy staff who may provide direct services to clients, including vaccination or testing for individuals who may have COVID.
- Public health and emergency response staff directly involved in administration of COVID testing and vaccinations.
- Last responders who provide mortuary or death services to decedents with COVID-19. Includes:
  - Embalmers and funeral home workers who have direct contact with decedents
  - Medical examiners and other medical certifiers who have direct contact with decedents.
- School nurses who provide health care to students and teachers.



# **COVID-19 Critical Population Phase 1B Definition**

- DSHS will work with vaccine providers and local partners to ensure that people who are 65 and older or have the medical conditions listed below and who also work in front-line and critical industries have access to the vaccine so they will be protected from COVID-19 while on the job.
- Texas equally will strive to ensure vaccine reaches communities with health disparities in accordance with Texas Vaccine Allocation Guiding Principles.



# **COVID-19 Critical Population Phase 1B Definition**

#### **Texas Phase 1B Vaccine Priorities**

- · People 65 years of age and older
- People 16 years of age and older with at least one chronic medical condition that puts them at increased risk for severe illness from the virus that causes COVID-19, such as but not limited to:
  - Cancer
  - · Chronic kidney disease
  - COPD (chronic obstructive pulmonary disease)
  - Heart conditions, such as heart failure, coronary artery disease or cardiomyopathies
  - Solid organ transplantation
  - Obesity and severe obesity (body mass index of 30 kg/m² or higher)
  - Pregnancy
  - Sickle cell disease
  - Type 2 diabetes mellitus



## **Long-term Care Planning**

- The start of the Federal LTCF program will be on December 28th, 2020 with major pharmacy chains.
- Work continues to identify the gap of LTC facilities that did not enroll in the federal program and may need state assistance. Likely this work would begin mid-January 2021



## **Allocation Key Items**

- Organizations must be completely approved.
- Number of healthcare workers is used to guide allocations for this Phase 1A.
- Doses administered is being considered for sites already receiving vaccine.



## Local Partnership and Communications

- LHEs should know the locations that received allocations and know circumstances that they are using the vaccine (ID needed, hours, possible local engagement). With this knowledge drive healthcare workers without employer vaccinations to the variety of provider sites.
- LHEs should use the tableau dashboard for visibility on all provider allocations and usage in their jurisdictions.
- Engage local leaders and community gatekeepers to assist in messaging and driving healthcare workers to these locations.
- Encourage all providers to report daily to ImmTrac2.

#### **COVID-19 Vaccination in Texas**

DSHS is partnering with vaccine providers across the state to ensure vaccine will be accessible to all Texans at no cost.

Dashboard updated around 4 p.m. each day with data as of 11:59 the previous night.

See the About the Data tab for more information on data sources.



**Texas Department of State Health Services** 

#### Vaccination of frontline and vulnerable populations

COVID-19 vaccination is currently available only to frontline and vulnerable populations due to limited supply. Texas will move through several phases to ensure those who need the vaccine most receive it first. We need every Texan's help to make this a success.

Choose population groups from the list below to see them by county in the red boxes by county.

#### Population Group - Phase 1A


- ✓ (All)
- ✓ Healthcare Tier 1 (such as hospitals and EMS)
- ✓ Healthcare Tier 2 (such as medical offices)
- √ Long-term Care Assisted Living Residents/Other
- ✓ Long-term Care Nursing Home Residents

Visit the DSHS COVID-19 Vaccine Information page for more details on phases and tiers, and other vaccine info:

#### Population Groups by County



### **Texans Vaccinated for COVID-19**



People Vaccinated with at least One Dose

146,988

People Fully Vaccinated

0

Doses Received by a Vaccine Provider

472,100


Doses Administered


146,988

246 of 254

Counties with Vaccine Doses Administered

> Last Updated 12/28/2020 12:44 PM





## **Second Dose Allocation**

## Pfizer Example – 21 days apart (Moderna would have an extra week since it is 28 days apart)

- Pfizer dose ones shipped on December 14<sup>th</sup>, the second doses will be allocated to providers on December 28<sup>th</sup>.
  - All emails moving forward will now designate first or second dose within the allocation notification.
- Providers will have until Friday morning on January 1<sup>st</sup> to accept their allocation in VAOS.
- Accepted allocations will be initiated for shipment on Friday afternoon of January 1<sup>st</sup>.
- According to the CDC, these vaccines should be delivered either January 4<sup>th</sup> or January 5<sup>th</sup>.





## News from the Field

- Vaccine Receipt Issues
- Number of Doses per vial
- Adverse events and reporting
- v-safe



www.cdc.gov/vaccines/covid-19/info-by-product/clinical-considerations.html?CD C\_AA\_refVal=https%3A %2F%2Fwww.cdc.gov% 2Fvaccines%2Fcovid-19%2Finfo-by-product%2Fpfizer%2Fclinical-considerations.html



	moderna	Pfizer
Technology Platform	mRNA	
Indication	≥18 years	≥16 years I
Dose	100 mcg (0.5mL) IM	30 mcg (0.3mL) IM
2-Dose Series	Day 0 & Day 28  4-day grace period (e.g., day 24-28)	Day 0 & Day 21 ≤ 4-day grace period (e.g., day 17-21)
	2 <sup>nd</sup> dose should be administered as close to the recommended interval as possible. However, there is no maximum interval between 1 <sup>st</sup> and the 2 <sup>nd</sup> dose.	
Interchangeability	<ul> <li>The two vaccines are not interchangeable with each other.</li> <li>The safety and efficacy of a mixed-product series have not been evaluated.</li> <li>Both doses of the series should be completed with the same product.</li> <li>However, if two doses of different mRNA COVID-19 vaccine products are inadvertently administered, no additional doses of either product are recommended at this time.</li> </ul>	
Coadministration with other vaccines	<ul> <li>The vaccine series should be administered alone, with a minimum interval of 14 days before or after administration with any other vaccines.</li> <li>If mRNA COVID-19 vaccines are inadvertently administered within 14 days of another vaccine, doses do not need to be repeated for either vaccine.</li> </ul>	

# **COVID-19 mRNA Vaccines**Warning - Management of Acute Allergic Reactions

- Appropriate medical treatment to manage immediate allergic reactions must be immediately available in the event an acute anaphylactic reaction occurs following administration of the Moderna COVID-19 Vaccine.
- Monitor Moderna COVID-19 vaccine recipients for the occurrence of immediate adverse reactions according to the Centers for Disease Control and Prevention guidelines.
  - All vaccine recipients be observed for 15 minutes after vaccination.
  - Person with a history of anaphylaxis, due to any cause, be observed for 30 minutes after vaccination.



Texas Department of State Health Services

https://www.cdc.gov/vaccines/covid-19/info-by-product/pfizer/anaphylaxis-management.html

## COVID-19 mRNA Vaccines Ingredients

www.cdc.gov/vaccines/covid-19/info-by-product/clinical-considerations.html?CD C\_AA\_refVal=https%3A %2F%2Fwww.cdc.gov% 2Fvaccines%2Fcovid-19%2Finfo-by-product%2Fpfizer%2Fclinical-considerations.html



Description	Pfizer-BioNTech COVID-19 vaccine	Moderna COVID-19 vaccine
mRNA	Nucleoside-modified mRNA encoding the viral spike (S) glycoprotein of SARS-CoV-2	Nucleoside-modified mRNA encoding the viral spike (S) glycoprotein of SARS-CoV-2
Lipids	2[(polyethylene glycol)-2000]-N,N- ditetradecylacetamide	Polyethylene glycol (PEG) 2000 dimyristoyl glycerol (DMG)
	1,2-distearoyl-sn-glycero-3-phosphocholine	1,2-distearoyl-sn-glycero-3-phosphocholine
	Cholesterol	Cholesterol
	(4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate)	SM-102 (Proprietary to Moderna)
Salts, sugars, buffers	Potassium chloride	Tromethamine
	Monobasic potassium phosphate	Tromethamine hydrochloride
	Sodium chloride	Acetic acid
	Dibasic sodium phosphate dihydrate	Sodium acetate
	Sucrose	Sucrose

## COVID-19 mRNA Vaccines Triage Schema

www.cdc.gov/vaccines/covid-19/info-by-product/clinical-considerations.html?CD C\_AA\_refVal=https%3A %2F%2Fwww.cdc.gov% 2Fvaccines%2Fcovid-19%2Finfo-by-product%2Fpfizer%2Fclinical-considerations.html



Texas Department of State Health Services

#### MAY PROCEED WITH VACCINATION CONTRAINDICATION TO VACCINATION PRECAUTION TO VACCINATION CONDITIONS CONDITIONS CONDITIONS Immunocompromising conditions Moderate/severe acute illness None CONDITIONS Pregnancy **ACTIONS ACTIONS** Lactation Risk assessment N/A **ACTIONS** · Potential deferral of vaccination · Additional information provided\* • 15 minute observation period if vaccinated 15 minute observation period **ALLERGIES ALLERGIES ALLERGIES** · History of food, pet, insect, venom, · History of severe allergic reaction (e.g., • History of severe allergic reaction environmental, latex, or other allergies not anaphylaxis) to another vaccine (not (e.g., anaphylaxis) to any component ALLERGIES related to vaccines or injectable therapies of an mRNA COVID-19 vaccine<sup>†</sup> including mRNA COVID-19 vaccines<sup>†</sup>) · History of allergy to oral medications · History of severe allergic reaction (e.g., **ACTIONS** (including the oral equivalent of an injectable anaphylaxis) to an injectable therapy medication) Do not vaccinate ACTIONS: · Non-serious allergy to vaccines or other injectables (e.g., no anaphylaxis) Risk assessment · Family history of anaphylaxis Potential deferral of vaccination · Any other history of anaphylaxis that is not · 30 minute observation period if related to a vaccine or injectable therapy vaccinated **ACTIONS** • 30 minute observation period: Persons with a history of severe allergic reaction (e.g., anaphylaxis) due to any cause • 15 minute observation period: Persons with allergic reaction, but not anaphylaxis

# Moderna COVID-19 Vaccine Mandatory Provider Requirements for Administration under EUA

- Provider must provide to the individual receiving the vaccine the "Fact Sheet for Recipients and Caregivers" prior to vaccination.
- Must report doses administered in ImmTrac2 within 24 hours post vaccination
  - Report complete information including race/ethnicity
- Provider must report the following to the Vaccine Adverse Event Reporting System (VAERS): <a href="https://vaers.hhs.gov/reportevent.html">https://vaers.hhs.gov/reportevent.html</a>
  - Vaccine administration errors whether or not associated with an adverse event,
  - Serious adverse events\* (irrespective of attribution to vaccination),
  - Cases of Multisystem Inflammatory Syndrome (MIS) in adults, and
  - Cases of COVID-19 that result in hospitalization or death.



## **V-safe** | your role as a provider

- Give patients a v-safe information sheet at the time of vaccination
- Encourage them to enroll and fill out the surveys when prompted

https://vsafe.cdc.gov/

V-safe now available in Spanish <a href="https://espanol.cdc.gov/coronavirus/2019-ncov/vaccines/safety/vsafe.html">https://espanol.cdc.gov/coronavirus/2019-ncov/vaccines/safety/vsafe.html</a>



v-safe info poster



v-safe info sheets

## **Important Reminders**

- Accept vaccine orders in VAOS.
- Print out Fact Sheet and V-safe documents to give to individuals getting vaccinated.
- Fill out the shot record cards in the ancillary kit supplies.
- Report daily all doses administered data to ImmTrac2.
  - Report complete information including race/ethnicity
- Vaccinate with URGENCY.



# Manufacturer COVID-19 Vaccine Training & Education Series

- Pfizer will be hosting a series of training sessions to review information and answer questions.
- Please click on the link below to join the sessions at the designated times. Each training below is the same content.

Date & Time	Password
Attendee Link December 28th 10:00 am est	MPu7pemXp79
Attendee Link December 29th 10:00 am est	mWZiCiWQ555
Attendee Link December 30th 10:00 am est	FXz38tdHBx2



## Resources

### **Website for Providers:**

www.dshs.texas.gov/coronavirus/immunize/provid er-information.aspx

### **FAQ for Providers**

https://www.dshs.texas.gov/immunize/covid19/CO VIDproviderfaq.pdf

### **DSHS COVID-19 Vaccine Provider hotline:**

(877) 835-7750, 8 a.m. to 5 p.m., Monday - Friday Email: <a href="mailto:coviD19VacEnroll@dshs.texas.gov">COVID19VacMgmt@dshs.texas.gov</a>.

## Website to enroll as a COVID-19 provider:

EnrollTexasIZ.dshs.texas.gov.

### **General Questions:**

Email: COVIDvaccineQs@dshs.texas.gov

Texans Vaccinated for COVID-19 website

**Pfizer Medical Information** 

Visit PfizerMedicalInformation.com or call 1-800-438-1985.

### ImmTrac2 support Email:

ImmTrac2@dshs.texas.gov

## V-safe

https://vsafe.cdc.gov/ https://espanol.cdc.gov/coronavirus/2019ncov/vaccines/safety/vsafe.html

## **Vaccine Adverse Event Reporting System (VAERS):**

https://vaers.hhs.gov/reportevent.html

### **Moderna (Pregnancy Registry & MedInfo):**

medinfo@modernatx.com
1-866- MODERNA (1-866-663-3762)
www.modernatx.com/covid19vaccine-eua

### **CDC McKesson:**

Pfizer #: 833-272-6634 Moderna #: 833-343-2703

# Q & A

## DISCLAIMER

The information presented today is based on CDC's recent guidance and MAY change.

December 29, 2020